

Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

Print Date 03.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: Casco<sup>®</sup> Silikon

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

### 1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### **Additional Labelling**

EUH208 Contains 3-aminopropyltriethoxysilane. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 03.03.2025 Version 5.1 Date of last issue: 01.08.2024

Print Date 03.03.2025

Contains a biocide in order to protect the product. Active ingredient: 2-n-butyl-benzo[d]isothiazol-3-one, 4299-07-4. Please use treated articles responsibly.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Hydrocarbons, C13-C23, n-	Not Assigned	Asp. Tox. 1; H304	>= 2,5 - < 5
alkanes, isoalkanes, cyclics, <	932-078-5		
0.03% aromatics	01-2119552497-29-		
	XXXX		
Silsesquioxanes, 3-aminopropyl	128446-60-6	Flam. Liq. 3; H226	>= 2,5 - < 5
Me, ethoxy-terminated	Not Assigned	Skin Irrit. 2; H315	
		Eye Irrit. 2; H319	
3-aminopropyltriethoxysilane	919-30-2	Acute Tox. 4; H302	>= 0,5 - < 1
	213-048-4	Skin Corr. 1B; H314	
	01-2119480479-24-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1; H317	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		1.490 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

# Casco<sup>®</sup> Silikon



evision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.202
		Never give anything by mouth to an unco	onscious person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information and symptoms.	ation on health effects
Risks	:	No known significant effects or hazards.	
•	ne	dical attention and special treatment ne	eeded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Use extinguishing measures that are application of the surrounding enviror	
		In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/cho extinction.	
Unsuitable extinguishing media	:	High volume water jet	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Fire will produce dense black smoke cor combustion products (see section 10). Exposure to decomposition products ma health.	-
Hazardous combustion prod- ucts	:	Hazardous combustion products Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)	
		No hazardous combustion products are	known
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained b	preathing apparatus.

# Casco<sup>®</sup> Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.202
SECTION 6: Accidental releas	se i	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions require	d.
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fl Keep in suitable, closed containers for dispos	
6.4 Reference to other sections			
For personal protection see se	ecti	on 8.	
7.1 Precautions for safe handling Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when han products	dling chemical
Advice on protection against fire and explosion	:	Normal measures for preventive fire protectio	n.
Hygiene measures	:	When using do not eat or drink. When using o	do not smoke.
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and wel place. Store in accordance with local regulation	
Advice on common storage	:	No special restrictions on storage with other p	products.
Further information on stor-		No decomposition if stored and applied as dir	( ]

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.



# **Casco®** Silikon

Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 01.08.2024		

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	Not Assigned	TWA (Vapour)	50 mg/m3	FOR-2011-12- 06-1358
		TWA (Mist and particles)	1 mg/m3	FOR-2011-12- 06-1358
		TWA	50 ppm 275 mg/m3	FOR-2011-12- 06-1358

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
ethanol	64-17-5	TWA	500 ppm 950 mg/m3	FOR-2011-12- 06-1358			
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC			
	Further inform	Further information: Indicative, Identifies the possibility of signifi-					
	cant uptake th	cant uptake through the skin					
		TWA 100 ppm 130 mg/m3					
	and/or a rema	Further information: The EU has set an indicative limit value and/or a remark for this substance, Chemicals that can be ab- sorbed through the skin.					
ethanol	64-17-5	TWA	500 ppm 950 mg/m3	FOR-2011-12- 06-1358			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme Eye/face protection		Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons

# Casco<sup>®</sup> Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version 5.1	Print Date 03.03.2025
	and protective boots are addition and stirring work.	naly recommended for mixing
Respiratory protection	<ul> <li>and stirring work.</li> <li>In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.</li> </ul>	
Environmental exposure c	ntrols	
General advice	: No special environmental preca	utions required.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste various
Odour	:	alcohol-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	65 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Casco®** Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.2025
Auto-ignition temperature	:	> 400 °C	
Decomposition temperature	:	No data available	
рH	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	> 1.000.000 mPa.s (23 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,001 hPa	
Density	:	ca. 1,02 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Casco<sup>®</sup> Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version 5.1	Print Date 03.03.2025
10.4 Conditions to avoid		
Conditions to avoid	: Avoid moisture. Heat, flames and sparks.	
	Do not expose to temperatures above: 150 °C This product may release the following: Formaldehyde	
10.5 Incompatible materials		
Materials to avoid	: Water Bases Acids	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: ethanol	
Hazardous decomposition products	: methanol, ethanol	

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified due to lack of data.

### **Components:**

# 3-aminopropyltriethoxysilane: Acute oral toxicity : LD50 Oral (Rat): 1.490 mg/kg Acute toxicity estimate: 1.490 mg/kg Acute toxicity estimate: 1.490 mg/kg Method: Calculation method Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg Skin corrosion/irritation Based on available data, the classification criteria are not met.

### Product:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Read-across (Analogy)

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Casco<sup>®</sup> Silikon

Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

Print Date 03.03.2025

### Product:

Species	:	Rabbit
Result		No eye irritation
Remarks	:	Read-across (Analogy)

### Respiratory or skin sensitisation

### Skin sensitisation

Based on available data, the classification criteria are not met.

### **Respiratory sensitisation**

Not classified due to lack of data.

### Product:

•		Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

### STOT - single exposure

Not classified due to lack of data.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# **Casco®** Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

Print Date 03.03.2025

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Ass	essm	ent

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> </ul>
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Casco<sup>®</sup> Silikon



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version 5.1	Print Date 03.03.2025
	protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
European Waste Catalogue	: 08 04 10 waste adhesives and sealan mentioned in 08 04 09	ts other than those

### **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			
14.6 Special precautions for user Not applicable			
<b>14.7 Maritime transport in bulk according to IMO instruments</b> Not applicable for product as supplied.			

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance	or mixture
Country NO 00000208385	11 / 14

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Casco® Silikon**



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version	5.1		Print Date 03.03.2025
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea I/or gula	am suppliers, and/or ition, and/or	
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restricti lowing entries should Number on list 75	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat		nent	t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic com	pounds
	Directive 2010/75/EU livestock rearing emiss and control) Not applicable	-		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Casco® Silikon**



Print Date 03.03.2025

Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

### Full text of H-Statements H226 Flammable liquid and vapour. Harmful if swallowed. H302 H304 May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. H314 H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H318 Causes serious eye irritation. H319 Full text of other abbreviations Acute Tox. Acute toxicity Asp. Tox. Aspiration hazard 1 Eve Dam. : Serious eye damage Eve Irrit. Eve irritation Flam. Liq. : Flammable liquids Skin Corr. : Skin corrosion Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation 2006/15/EC Europe. Indicative occupational exposure limit values : Norway. Occupational Exposure limits FOR-2011-12-06-1358 Limit Value - eight hours 2006/15/EC / TWA : FOR-2011-12-06-1358 / Long term exposure limit • TWA ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road **Chemical Abstracts Service** CAS DNEL Derived no-effect level Half maximal effective concentration EC50 Globally Harmonized System GHS IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit OEL Persistent, bioaccumulative and toxic PBT PNEC Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Reg-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Casco® Silikon**



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version 5.1	Print Date 03.03.2025
SVHC vPvB	<ul> <li>istration, Evaluation, Authorisation and Recals (REACH), establishing a European C</li> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>	

### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN