Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023 Version 3.0

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Casco[®] MultiTech

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208	Contains Pentamethylpiperidinol-substituted polyester, trimethoxyvinylsilane, 2- octyl-2H-isothiazole-3-one (OIT). May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023

Version 3.0

Print Date 03.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
distillates (petroleum), hydrotreat- ed light paraffinic	64742-55-8 265-158-7 01-2119487077-29- XXXX	Asp. Tox. 1; H304 EUH066	>= 2,5 - < 5
Pentamethylpiperidinol- substituted polyester	85631-00-1 287-947-5 01-2120771539-41- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 4; H413	>= 0,25 - < 0,5
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.900 mg/kg	
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317	>= 0,1 - < 0,5
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (vapour): 16,8 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech

Revision Date: 03.03.2025 Date of last issue: 16.02.2023 Version 3.0

Print Date 03.03.2025

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,0002 - < 0,0015
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
Substances with a workplace expos	sure limit :		
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 2,5 - < 5
For explanation of abbreviations se			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023		Version 3.0	Print Date 03.03.202
		Wash off with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advic Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsci	
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:		on health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate r	meo	dical attention and special treatment neede	d
Treatment	:	Treat symptomatically.	-
SECTION 5: Firefighting meas	sur		at/oorbon diov
	sur :	es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.1 Extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction.	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from 	: the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction.	al powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction. e substance or mixture	al powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 	: the :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction. e substance or mixture	al powder for vn
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	: the :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction. e substance or mixture No hazardous combustion products are know	al powder for vn
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters 	: the :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained breat Standard procedure for chemical fires.	al powder for vn
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental release 	the : : Se r	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained breat Standard procedure for chemical fires. measures	al powder for vn
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental release 	the : : Se r	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained breat Standard procedure for chemical fires. measures e equipment and emergency procedures	al powder for vn
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental release 6.1 Personal precautions, protection 	the : : se r	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction. e substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained breat Standard procedure for chemical fires. measures e equipment and emergency procedures	al powder for vn

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025Version 3.0Print Date 03.03.2025Date of last issue: 16.02.2023Version 3.0Print Date 03.03.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage,	inc	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any

SECTION 8: Exposure controls/personal protection

use.

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Titanium dioxide (> 10 μm)	13463-67-7	TWA	5 mg/m3	FOR-2011-12-
				06-1358
distillates (petroleum), hydrotreated light	64742-55-8	TWA	40 ppm	FOR-2011-12-
paraffinic			275 mg/m3	06-1358
		TWA (Vapour)	50 mg/m3	FOR-2011-12-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025

Version 3.0

Print Date 03.03.2025

Date of last issue: 16.02.2023

						06-1358
				TWA (Mist and	1 mg/m3	FOR-2011-12-
				particles)		06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste white
Odour	:	slight
Odour	:	slight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech

Revision Date: 03.03.2025



Print Date 03.03.2025

e of last issue: 16.02.2023			
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	ca. 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,49 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
			- / / -

Version 3.0

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023	Version 3.0	Print Date 03.03.2025
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and rea	ctivity	
10.1 Reactivity		
No dangerous reaction known	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable	e.	
10.3 Possibility of hazardous read	ctions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	roducts	
No decomposition if stored and		
SECTION 11: Toxicological inf	ormation	
	ormation	
11.1 Information on hazard class	es as defined in Regulation (EC) No 1272/2008	3
Acute toxicity		
Not classified due to lack of da	ta.	
Components:		

Pentamethylpiperidinol-substituted polyester:

Acute oral toxicity	:	LD50 Oral (Rat): 1.900 mg/kg

Acute toxicity estimate: 1.900 mg/kg Method: Calculation method

trimethoxyvinylsilane:

Acute oral toxicity	: LD50 Oral	(Rat): ca. 7.120 mg/kg
---------------------	-------------	------------------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



of last issue: 16.02.2023		Version 3.0	Print Date 03.03
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour	
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	:	LD50: 3.540 mg/kg	
2-octyl-2H-isothiazole-3-o	ne (O	т):	
Acute oral toxicity	•	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according t No. 1272/2008	o Regulation (EC)
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according t No. 1272/2008	o Regulation (EC)
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according t No. 1272/2008	o Regulation (EC)
Skin corrosion/irritation Not classified due to lack of	data.		
Components:			
		ated light paraffinic:	
distillates (petroleum), hy	arotre		
distillates (petroleum), hy Assessment	arotre :	Repeated exposure may cause skin drynes	ss or cracking.
u 77 V	: rritati		ss or cracking.
Assessment Serious eye damage/eye i	rritati data.	on	ss or cracking.
Assessment Serious eye damage/eye i Not classified due to lack of	rritati data. tisatio	on	ss or cracking.
Assessment Serious eye damage/eye i Not classified due to lack of Respiratory or skin sensit Skin sensitisation	rritati data. tisatio data.	on	ss or cracking.
Assessment Serious eye damage/eye i Not classified due to lack of Respiratory or skin sensit Skin sensitisation Not classified due to lack of Respiratory sensitisation	rritati data. i satio data. data.	on	ss or cracking.
Assessment Serious eye damage/eye i Not classified due to lack of Respiratory or skin sensit Skin sensitisation Not classified due to lack of Respiratory sensitisation Not classified due to lack of Germ cell mutagenicity Not classified due to lack of Carcinogenicity	rritati data. iisatio data. data. data.	on	ss or cracking.
Assessment Serious eye damage/eye i Not classified due to lack of Respiratory or skin sensit Skin sensitisation Not classified due to lack of Respiratory sensitisation Not classified due to lack of Germ cell mutagenicity Not classified due to lack of	rritati data. iisatio data. data. data.	on	as or cracking.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023 Version 3.0

Print Date 03.03.2025

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Pentamethylpiperidinol-substituted polyester:

M-Factor (Acute aquatic tox- : 1 icity)

M-Factor (Chronic aquatic : 1 toxicity)

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023 Version 3.0

Print Date 03.03.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023	Version 3.0	Print Date 03.03.2025
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.2 UN proper shipping name		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.4 Packing group		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
IATA (Cargo)	Not regulated as a dangerous good	
IATA (Passenger)	Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerous g	ood	
14.6 Special precautions for user Not applicable		
14.7 Maritime transport in bulk ac	cording to IMO instruments	
Not applicable for product as su	pplied.	
SECTION 15: Regulatory inform	nation	
15 1 Solohy boolth and any increment	ntal regulations/legislation specific for the	aubatanaa ar mixtura

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 40: 1-methoxy-2-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023	Version 3.0		Print Date 03.03.2025
		propanol	
		Number on list 75	
REACH - Candidate List of Substa Concern for Authorisation (Article		None of the componen (=> 0.1 %).	nts are listed
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EU) No 2024/590 on s plete the ozone layer	substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		Not applicable	
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar		and of the Council on t	he control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) Volatile organic compound no VOC duties		

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,04% w/w

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech

Jika®

Revision Date: 03.03.2025 Date of last issue: 16.02.2023 Version 3.0

Print Date 03.03.2025

SECTION 16: Other information

Full text of H-Statements		
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviation	S	
Acute Tox.	Acute toxicity	
Aquatic Acute	Short-term (acute) aquatic hazard	
Aquatic Chronic	Long-term (chronic) aquatic hazard	
Asp. Tox.	Aspiration hazard	
Eye Dam.	Serious eye damage	
Eye Irrit.	Eye irritation	
Flam. Liq.	Flammable liquids	
Skin Corr.	Skin corrosion	
Skin Sens.	Skin sensitisation	
FOR-2011-12-06-1358	Norway. Occupational Exposure limits	
FOR-2011-12-06-1358 / TWA	Long term exposure limit	
ADR	European Agreement concerning the International Carriage of	
ABR	Dangerous Goods by Road	
CAS	Chemical Abstracts Service	
DNEL	Derived no-effect level	
EC50	Half maximal effective concentration	
GHS	Globally Harmonized System	
IATA	International Air Transport Association	
IMDG	International Maritime Code for Dangerous Goods	
LD50	Median lethal dosis (the amount of a material, given all at	
	once, which causes the death of 50% (one half) of a group of	
	test animals)	
LC50	Median lethal concentration (concentrations of the chemical in	
	air that kills 50% of the test animals during the observation	
	period)	
MARPOL	International Convention for the Prevention of Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	Regulation (EC) No 1907/2006 of the European Parliament	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] MultiTech



Revision Date: 03.03.2025 Date of last issue: 16.02.2023		Version 3.0	Print Date 03.03.2025
SVHC vPvB	is ca : S	nd of the Council of 18 December 20 tration, Evaluation, Authorisation an als (REACH), establishing a Europe ubstances of Very High Concern ery persistent and very bioaccumula	d Restriction of Chemi- an Chemicals Agency

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN