

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Casco[®] CementRapid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Serious eye damage, Category 1	H318: Causes serious eye damage.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Labelling (REGULATION (E	-C)	121212000)	
Hazard pictograms	:	EE	
Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		P103	Read label before use.
		Prevention:	
		P280	Wear eye protection/ face protection.
		Response:	
ountry NO 000000670196			

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Print Date 31.05.2022

Version 3.0

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7 238-878-4		>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Casco® CementRapid

Revision Date: 27.05.2022

Date of last issue: 31.03.2020



Version 3.0

In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and e	effects, both acute and delayed
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks :	No known significant effects or hazards.
	Causes serious eye damage.
4.3 Indication of any immediate med	dical attention and special treatment needed
Treatment :	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Assidental release		2000UF00

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.	
---	--

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Version 3.0



Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions

Try to prevent the material from entering drains or water courses. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

:

- Methods for cleaning up
- : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

Casco® CementRapid

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Version 3.0



7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (respirable dust)	0,05 mg/m3 (Silica)	FOR-2011-12- 06-1358
	Further informa	ation: Substances c	onsidered to be ca	arcinogenic
		TWA (total dust)	0,3 mg/m3	FOR-2011-12-
			(Silica)	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
total dust	TWA	5 mg/m3	FOR-2011-12-06-1358
respirable dust	TWA	5 mg/m3	FOR-2011-12-06-1358
total dust	TWA	10 mg/m3	FOR-2011-12-06-1358

8.2 Exposure controls

Personal protective equipment	t
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances

Revision Date: 27.05.2022 Date of last issue: 31.03.2020



Version 3.0

g/l

Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.


Environmental expos	ure controls
General advice	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	d chemical properties			
Physical state Appearance Colour	:	solid powder grey			
Odour	:	characteristic			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit	:	No data available			
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	10 - 11 Concentration: 4.000			

Revision Date: 27.05.2022 Date of last issue: 31.03.2020





Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,27 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Casco® CementRapid

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Version 3.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Casco® CementRapid

Revision Date: 27.05.2022 Date of last issue: 31.03.2020 Version 3.0



12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste Code	:	7132
European Waste Catalogue	:	17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
	:	16 03 03* inorganic wastes containing dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

ADR

: Not regulated as a dangerous good

Revision Date: 27.05.2022 Date of last issue: 31.03.2020



IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good

Version 3.0

14.5 Environmental hazards

IATA (Passenger)

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not regulated as a dangerous good

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	-	Conditions of restriction for the fol- lowing entries should be considered: Cement (chromium reduced)
		(Number on list 47)
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable



Revision Date: 27.05.2022 Date of last issue: 31.03.2020	Version 3.0		Print Date 31.05.20
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable	
REACH Information:	All substances contained i - registered by our upstrea - registered by us, and/or - excluded from the regula - exempted from the regis	am suppliers, and/or ation, and/or	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		t and of the Council on th	ne control of ma-
Volatile organic compounds :	Law on the incentive tax fo (VOCV) no VOC duties	or volatile organic compo	ounds

Product registration number : 39524

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315 H318	Causes skin irritation. Causes serious eye damage.	
H335	May cause respiratory irritation.	
Full text of other abbreviati		
Eye Dam. Skin Irrit. STOT SE FOR-2011-12-06-1358 FOR-2011-12-06-1358 / TWA	Serious eye damage Skin irritation Specific target organ toxicity - single exposure Norway. Occupational Exposure limits Long term exposure limit	
ADR	European Agreement concerning the International Carriage Dangerous Goods by Road	e of
CAS DNEL	Chemical Abstracts Service Derived no-effect level	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

:

Casco[®] CementRapid

Revision Date: 27.05.2022 Date of last issue: 31.03.2020

EC50



Half maximal effective concentration

Classification of the mixture:	Classification procedure:
Further information	
vPvB :	Very persistent and very bioaccumulative
	Substances of Very High Concern
	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
PNEC :	Predicted no effect concentration
PBT :	Persistent, bioaccumulative and toxic
OEL :	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit
MARPOL :	period) International Convention for the Prevention of Pollution from
	air that kills 50% of the test animals during the observation
LC50 :	once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in
LD50 :	Median lethal dosis (the amount of a material, given all at
IMDG :	International Maritime Code for Dangerous Goods
IATA :	International Air Transport Association
GHS :	Globally Harmonized System
2000 .	

olassinoution of the		olassification procedu		
Eye Dam. 1	H318	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN