

Print D

Print Date 03.03.2025

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name :

Casco[®] Aqua

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
		Prevention P273	Avoid release to the environment.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Additional Labelling

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Casco®	Aqua
--------	------

Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 02.12.2024		

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
sodium nitrate	7631-99-4	Ox. Sol. 3; H272	>= 1 - < 2,5
	231-554-3	Eye Irrit. 2; H319	
	01-2119488221-41-		
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
(BIT)	220-120-9 01-2120761540-60- XXXX	Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0,05
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	
bronopol (INN)	52-51-7 200-143-0 01-2119980938-15- XXXX	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - < 0,025
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 5.1	1	Print Date 03.03.2025
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Print Date 03.03.2025

Revision Date: 03.03.2025 Date of last issue: 02.12.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2 Most important symptoms	and	effects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects

Version 5.1

4.2 Most important symptoms a	and e	ffects, both acute and delayed
Sumptomo		See Section 11 for more detailed inform

	and symptoms.	
Risks	: No known significant effects or hazards.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefightersSpecial protective equipment for firefightersFurther information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.



Revision Date: 03.03.2025 Date of last issue: 02.12.2024		Version 5.1	Print Date 03.03.202
SECTION 6: Accidental release	se r	neasures	
-	ctive	e equipment and emergency procedures	
Personal precautions	-	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	• •	
6.4 Reference to other sections For personal protection see s	ectio	on 8.	
For personal protection see s	oraç		
For personal protection see s SECTION 7: Handling and sto 7.1 Precautions for safe handlin	oraç	ge	
For personal protection see s	oraç		andling chemical
For personal protection see s SECTION 7: Handling and sto 7.1 Precautions for safe handlin	oraç g	ge For personal protection see section 8. Follow standard hygiene measures when ha products	-
SECTION 7: Handling and sto 7.1 Precautions for safe handlin Advice on safe handling Advice on protection against	oraç 9g :	ge For personal protection see section 8. Follow standard hygiene measures when ha products	ion. ygiene and safety hen using do not
For personal protection see s SECTION 7: Handling and sto 7.1 Precautions for safe handlin Advice on safe handling Advice on protection against fire and explosion	oraç g :	ge For personal protection see section 8. Follow standard hygiene measures when haproducts Normal measures for preventive fire protect Handle in accordance with good industrial hpractice. When using do not eat or drink. W smoke. Wash hands before breaks and at the	ion. ygiene and safety hen using do not
For personal protection see s SECTION 7: Handling and sto 7.1 Precautions for safe handlin Advice on safe handling Advice on protection against fire and explosion Hygiene measures	oraç g :	ge For personal protection see section 8. Follow standard hygiene measures when haproducts Normal measures for preventive fire protect Handle in accordance with good industrial hpractice. When using do not eat or drink. W smoke. Wash hands before breaks and at the	ion. ygiene and safety hen using do not ne end of workday. ell-ventilated

7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.



Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 02.12.2024		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	No special measures required.
Environmental exposure cont	ols
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid white
Odour	:	odourless

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 5.1

Casco[®] Aqua

Revision Date: 03.03.2025

Date of last issue: 02.12.2024



Melting point/ range / Freez-	:	No data available	
ing point Boiling point/boiling range	:	No data available	
Flammability (solid, gas)		No data available	
Upper/lower flammability or	-		
Upper explosion limit / Upper flammability limit			
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point Auto-ignition temperature	•	Not applicable No data available	
Decomposition temperature		No data available	
рН		5 - 6	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies) Water solubility		No data available	
Partition coefficient: n-	•	No data available	
octanol/water	•	ino dala avalidule	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,04 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

Print Date 03.03.2025

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	: No data available
--------------------	---------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on ava <u>Components:</u>	ble information.	
sodium nitrate: Acute oral toxicity	: LD50 Oral (Rat): 3.430 mg/kg	
1,2-benzisothiazol-3(2H)-c Acute oral toxicity	 (BIT): Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008)
Acute inhalation toxicity	 LD50 Oral (Rat): 450 mg/kg Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC))

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 5.1	Print Date 03.03.2025
	No. 1272/2008	
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40	03
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 m	ng/kg
2-octyl-2H-isothiazole-3-o	e (OIT):	
Acute oral toxicity	: Acute toxicity estimate: 125 mg/k Method: Acute toxicity estimate a No. 1272/2008	
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/ Test atmosphere: dust/mist Method: Acute toxicity estimate a No. 1272/2008	
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/k Method: Acute toxicity estimate a No. 1272/2008	
reaction mass of 5-chloro	-methyl-2H-isothiazol-3-one and 2-r	nethyl-2H-isothiazol-3-one (3·1)·
Acute inhalation toxicity	: Assessment: Corrosive to the res	
Skin corrosion/irritation Not classified based on ava	ble information.	
Serious eye damage/eye i Not classified based on ava		
Respiratory or skin sensit	ation	
Skin sensitisation Not classified based on ava	ble information.	
Respiratory sensitisation Not classified based on ava	ble information.	
Components:		
1,2-benzisothiazol-3(2H)-c Assessment	e (BIT): : May cause sensitisation by skin o	contact.
Germ cell mutagenicity Not classified based on ava	ble information.	
Carcinogenicity Not classified based on ava	ble information.	
Couptry NO 10000000062		11/18

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Print Date 03.03.2025

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h		
M-Factor (Acute aquatic tox- icity)	:	1		
M-Factor (Chronic aquatic toxicity)	:	1		
bronopol (INN):				
M-Factor (Acute aquatic tox- icity)	:	10		
M-Factor (Chronic aquatic toxicity)	:	1		
2-octyl-2H-isothiazole-3-one (OIT):				
•	•	•		
M-Factor (Acute aquatic tox- icity)	÷	100		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Revision Date: 03.03.2025 Date of last issue: 02.12.2024		Version 5.1	Print Date 03.03.202
M-Factor (Chronic aquatic toxicity)	:	100	
reaction mass of 5-chloro-2	-me	thyl-2H-isothiazol-3-one and 2-methyl-2H	-isothiazol-3-one (3:1):
M-Factor (Acute aquatic tox- icity)	:	100	
M-Factor (Chronic aquatic toxicity)	:	100	
12.2 Persistence and degradabil No data available	lity		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB as	sse	ssment	
Product:			
Assessment	:	This substance/mixture contains no compo to be either persistent, bioaccumulative and very persistent and very bioaccumulative (v 0.1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting prope	ertie	S	
Product:			
Assessment	:	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	es according to ated regulation
12.7 Other adverse effects			
12.7 Other adverse effects <u>Product:</u>			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized wherever possible.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Revision Date: 03.03.2025 Date of last issue: 02.12.2024		Version 5.1	Print Date 03.03.2025
		Empty containers or liners may retain some pro This material and its container must be dispose way. Dispose of surplus and non-recyclable product waste disposal contractor. Disposal of this product, solutions and any by- at all times comply with the requirements of en protection and waste disposal legislation and a local authority requirements. Avoid dispersal of spilled material and runoff a soil, waterways, drains and sewers.	ed of in a safe s via a licensed products should vironmental iny regional
Waste Code	:	7051	
European Waste Catalogue	:	08 04 09* waste adhesives and sealants conta solvents or other dangerous substances	aining organic
Contaminated packaging	:	15 01 10* packaging containing residues of or by dangerous substances	contaminated

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	3 Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	4 Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good



Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 02.12.2024		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ition, and/or
REACH - Restrictions on the mar the market and use of certain dat mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Number on list 75
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua



Revision Date: 03.03.2025Version 5.1Print Date 03.03.2025Date of last issue: 02.12.2024Version 5.1Print Date 03.03.2025

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors This product is regulated by Regulation (EU) 2019/1148: : sodium nitrate (ANNEX II) all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H272	:	May intensify fire; oxidizer.				
H301	:	Toxic if swallowed.				
H302	:	Harmful if swallowed.				
H310	:	Fatal in contact with skin.				
H311	:	Toxic in contact with skin.				
H312	:	Harmful in contact with skin.				
H314	:	Causes severe skin burns and eye damage.				
H315	:	Causes skin irritation.				
H317	:	May cause an allergic skin reaction.				
H318	:	Causes serious eye damage.				
H319	:	Causes serious eye irritation.				
H330	:	Fatal if inhaled.				
H331	:	Toxic if inhaled.				
H335	:	May cause respiratory irritation.				
H400	:	Very toxic to aquatic life.				
H410	:	Very toxic to aquatic life with long lasting effects.				
Full text of other abbreviations						
Acute Tox.	:	Acute toxicity				
Aquatic Acute	:	Short-term (acute) aquatic hazard				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Eye Dam.	:	Serious eye damage				
•	:					

Full text of H-Statements

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua

Jika [®]	

Revision Date: 03.03.2025 Date of last issue: 02.12.2024		Version 5.1	Print Date 03.03.2025
Eye Irrit. Ox. Sol. Skin Corr.	:	Eye irritation Oxidizing solids Skin corrosion	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
STOT SE	:	Specific target organ toxicity - single exposure	
ADR	:	European Agreement concerning the Internation	al Carriage of

ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco[®] Aqua

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 5.1

