## Casco<sup>®</sup> Floor Expert Parkett Elastic Plus



Print Date 03.03.2025

Revision Date: 03.03.2025	Version 5.1
Date of last issue: 14.05.2024	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

Casco<sup>®</sup> Floor Expert Parkett Elastic Plus

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

#### 1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Casco<sup>®</sup> Floor Expert Parkett Elastic Plus** 



Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
trimethoxyvinylsilane	2768-02-7	Flam. Liq. 3; H226	>= 0,1 - < 0,5
Contains:	220-449-8	Acute Tox. 4; H332	
tetramethyl orthosilicate <= 0,2 %	01-2119513215-52- XXXX	Skin Sens. 1B; H317	
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (vapour): 16,8 mg/l	
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9 258-207-9 01-2119537297-32- XXXX	Eye Dam. 1; H318 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
		M-Factor (Acute aquatic toxicity): 1	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> </ul>

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## **Casco<sup>®</sup> Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025 Date of last issue: 14.05.2024		Version 5.1	Print Date 03.03.2025	
		Never give anything by mouth to an uncons	scious person.	
4.2 Most important symptoms ar	nd (	effects, both acute and delayed		
Symptoms	:	See Section 11 for more detailed information and symptoms.	on on health effects	
Risks	:	No known significant effects or hazards.		
4.3 Indication of any immediate	me	dical attention and special treatment need	ded	
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting meas	sur	es		
5.1 Extinguishing media				
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.		
5.2 Special hazards arising from	the	e substance or mixture		
Hazardous combustion prod- ucts	:	No hazardous combustion products are kn	own	
5.3 Advice for firefighters				
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	eathing apparatus.	
Further information	:	Standard procedure for chemical fires.		
SECTION 6: Accidental releas	se i	neasures		
6.1 Personal precautions, protect Personal precautions		e equipment and emergency procedures For personal protection see section 8.		
6.2 Environmental precautions				

Environmental precautions : No special environmental precautions required.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## **Casco<sup>®</sup> Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Contains no substances with occupational exposure limit values.					

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		FOR-2011-12- 06-1358		
	Further information: The EU has set an indicative limit value and/or a remark for this substance, Chemicals that can be ab-			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## **Casco® Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025		
Date of last issue: 14.05.2024				
	sorbed through the skin.			
*The above mentioned values are in accordance with the legislation in effect at the date of the re-				

lease of this safety data sheet. 8.2 Exposure controls

## **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent			
Eye/face protection	:	Safety glasses		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure controls				
General advice	:	No special environmental precautions required.		

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	liquid paste light brown
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Casco<sup>®</sup> Floor Expert Parkett Elastic Plus



Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 70 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	ca. 20.000 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,68 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

## 9.2 Other information

No data available

## **Casco<sup>®</sup> Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025	
Date of last issue: 14.05.2024	

Version 5.1

Print Date 03.03.2025

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

### **10.6 Hazardous decomposition products**

Hazardous decomposition	:	methanol
products		

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

### trimethoxyvinylsilane:

Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg

## Skin corrosion/irritation

Not classified due to lack of data.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Casco<sup>®</sup> Floor Expert Parkett Elastic Plus

Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

## Serious eye damage/eye irritation

Not classified due to lack of data.

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified due to lack of data.

## **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

Not classified due to lack of data.

## Reproductive toxicity

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

## Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

## Endocrine disrupting properties

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Components:**

## bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate:

```
M-Factor (Acute aquatic tox- : 1 icity)
```

### 12.2 Persistence and degradability



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## **Casco® Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	

<u>i loudott</u>		
Additional ecological infor- mation	:	There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Casco<sup>®</sup> Floor Expert Parkett Elastic Plus



Revision Date: 03.03.2025 Date of last issue: 14.05.2024 Version 5.1

Print Date 03.03.2025

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable			

**REACH** Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Casco<sup>®</sup> Floor Expert Parkett Elastic Plus



Revision Date: 03.03.2025 Date of last issue: 14.05.2024	Version	5.1	Print Date 03.03.2025		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Not applicable		
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	<ul> <li>Law on the incentive tax for volatile organic compounds (VOCV)</li> <li>Volatile organic compounds (VOC) content: 0,01% w/w no VOC duties</li> </ul>				
	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,01% w/w				
<b>15.2 Chemical safety assessment</b> No Chemical Safety Assessment has been carried out for this mixture by the supplier.					

## **SECTION 16: Other information**

#### Full text of H-Statements

H226 : Flammable liquid and vapour.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## **Casco<sup>®</sup> Floor Expert Parkett Elastic Plus**



Revision Date: 03.03.2025 Date of last issue: 14.05.2024	Version 5.1	Print Date 03.03.2025
H317	: May cause an allergic skin reaction.	
H318	: Causes serious eye damage.	
H332	: Harmful if inhaled.	
H361f		
	: Suspected of damaging fertility.	
H400	: Very toxic to aquatic life.	
H411	: Toxic to aquatic life with long lasting effe	CIS.
Full text of other abbreviation		
Acute Tox.	: Acute toxicity	
Aquatic Acute	: Short-term (acute) aquatic hazard	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Flam. Liq.	: Flammable liquids	
Repr.	: Reproductive toxicity	
Skin Sens.	: Skin sensitisation	
2006/15/EC	: Europe. Indicative occupational exposure	e limit values
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits	
2006/15/EC / TWA	: Limit Value - eight hours	
FOR-2011-12-06-1358 /	: Long term exposure limit	
TWA	<b>o</b>	
ADR	: European Agreement concerning the Inte	ernational Carriage of
	Dangerous Goods by Road	Ũ
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	
IMDG	: International Maritime Code for Dangero	us Goods
LD50	: Median lethal dosis (the amount of a ma	
	once, which causes the death of 50% (or	
	test animals)	······) •· •· 9· • • •
LC50	: Median lethal concentration (concentratio	ons of the chemical in
2000	air that kills 50% of the test animals durin	
	period)	.g e zee rauer
MARPOL	: International Convention for the Preventi	on of Pollution from
	Ships, 1973 as modified by the Protocol	
OEL	: Occupational Exposure Limit	01 1070
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the Eu	rongan Parliament
REAGI	and of the Council of 18 December 2006	
	istration, Evaluation, Authorisation and R	
	cals (REACH), establishing a European	
SVHC	: Substances of Very High Concern	Chemicais Ayericy
vPvB		2
VFVD	: Very persistent and very bioaccumulative	3

#### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 5.1

# Casco<sup>®</sup> Floor Expert Parkett Elastic Plus

Revision Date: 03.03.2025 Date of last issue: 14.05.2024

Changes as compared to previous version !

NO / EN



Print Date 03.03.2025